





# LED dekorativní svítidlo – falešné okno





# motiv č. 1


60 x 60 cm, 1 panel





# motiv č. 2


60 x 60 cm, 1 panel





# motiv č. 3




60 x 60 cm, 1 panel





# motiv č. 4


60 x 60 cm, 1 panel





# motiv č. 5

60 x 60 cm, 1 panel






Design  
Elektro

# motiv č. 6


60 x 60 cm, 1 panel





# motiv č. 7




60 x 60 cm, 1 panel





# motiv č. 8




60 x 60 cm, 1 panel





# motiv č. 9



60 x 60 cm, 1 panel





# motiv č. 10



60 x 60 cm, 1 panel





# motiv č. 11




60 x 60 cm, 1 panel





# motiv č. 12



60 x 60 cm, 1 panel





# motiv č. 13

60 x 60 cm, 1 panel





# motiv č. 14

60 x 60 cm, 1 panel





# motiv č. 15

60 x 60 cm, 1 panel





# ukázka interiéru





# technické parametry

Název produktu	DE 60x60 Cm 40 Watt NW
Rozměr (mm)	600 x 600 x 11 mm
Vstupní napětí	100-240V AC
Příkon	40W
Úhel svitu	120°
Svítivost panelu (bez motivu)	4200 lm
Index podání barev (Ra)	> 80
Barva světla	4000-4500K – denní bílá
Krytí	IP20
Životnost (počet hodin)	20000
Materiál	hliník + plastový kryt



- Varianty montáže na:
- na strop do SDK podhledu
  - na strop do rámečku
  - na stěnu do rámečku